

A

RIVER AIRE

	Maximum dimension
Length:	78ft 6ins (23.92m)
Beam:	16ft 6ins (5.03m)
Draught:	4ft (1.22m)
Headroom:	9ft 10ins (3.0m)

AIRE & CALDER

Goole to tail of Leeds Lock

	Maximum dimension
Length:	200ft (61m)
Beam:	20ft (6.1m)
Draught:	8ft 2ins (2.5m)
Headroom:	11ft 9ins (3.6m)

Tail of Leeds Lock to tail of River Lock

	Maximum dimension
Length:	141ft (43m)
Beam:	17ft 9ins (5.4m)
Draught:	7ft 7ins (2.3m)
Headroom:	11ft 9ins (3.6m)

Wakefield Branch

	Maximum dimension
Length:	141ft (43m)
Beam:	17ft 9ins (5.4m)
Draught:	7ft 7ins (2.3m)
Headroom:	12ft 10ins (3.88m)

From River Ouse into Selby Basin Only

	Maximum dimension
Length:	78ft 6ins (23.92m)
Beam:	18ft (5.49m)
Draught:	6ft 6ins (2m)
Headroom:	Not Available

ASHBY CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 6 ins (1.05m)
Headroom:	6ft 6ins (1.98m)

ASHTON CANAL

	Maximum dimension
Length:	71ft 6ins (21.79m)
Beam:	7ft (2.13m)
Draught:	3ft 3ins (1.0m)
Headroom:	6ft 5ins (1.96m)

RIVER AVON

See Kennet & Avon Canal (page 6)

B

BIRMINGHAM CANAL NAVIGATIONS (including Birmingham & Fazeley Canal)

	Maximum dimension
Length:	70ft (21.34m)
Beam:	7ft (2.13m)
Draught:	Not available
Headroom:	6ft 6ins (1.98m)

BIRMINGHAM & FAZELEY CANAL

See Birmingham Canal Navigation (above)

BRIDGWATER & TAUNTON CANAL

	Maximum dimension
Length:	51ft 10ins (15.8m)
Beam:	13ft 7ins (4.14m)
Draught:	Not Available
Headroom:	7ft 1ins (2.15m)

Bow Back Rivers

Low priority Waterways maintained for safety only. May be Navigable with great care, boaters should be aware of low headroom on some semi-tidal waters. City Mill and Carpenters Road Locks are un-navigable. Contact 0207 985 7200 for further information

C

CALDER & HEBBLE NAVIGATION

	Maximum dimension
Length:	54ft 9ins (16.75m)
Beam:	14ft 2ins (4.32m)
Draught:	5 ft (1.5m)
Headroom:	9ft 4ins (2.85m)

CALDON CANAL

(including Leek Branch)

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	2 ft (0.6m)
Headroom:	6ft 8ins (2.05m)

CALEDONIAN CANAL

From the Sea into Corpach Basin only

	Maximum dimension
Length:	203ft (61.87m)
Beam:	35ft (10.67m)
Draught:	13ft 6ins (4.11m)
Headroom:	Unlimited

Corpach to Inverness

	Maximum dimension
Length:	150ft (45.72m)
Beam:	35ft (10.67m)
Draught:	13ft 6ins (4.11m)
Headroom:	114ft 8ins (35m)

CHESTERFIELD CANAL

River Trent into West Stockwith Basin only

	Maximum dimension
Length:	72ft (21.95m)
Beam:	16ft (4.87m)
Draught:	3ft 6ins (1.95m)
Headroom:	Unlimited

West Stockwith Basin to Shireoaks

	Maximum dimension
Length:	72ft (21.95m)
Beam:	6ft 10 ½ins (2.10m)
Draught:	2ft 6ins (0.762m)
Headroom:	7ft 1ins (2.15m)

COVENTRY CANAL

	Maximum dimension
Length:	70ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 6ins (1.95m)
Headroom:	6ft 6ins (1.98m)

CRINAN CANAL

From the Sea into Crinan and Ardrishaig Basins only

	Maximum dimension
Length:	105ft (32m)
Beam:	25ft (7.62m)
Draught:	Not Available
Headroom:	unlimited

Crinan to Ardrishaig

	Maximum dimension
Length:	88ft (26.82m)
Beam:	20ft (6.10m)
Draught:	Not Available
Headroom:	95ft (28.5m)

E

EREWASH CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	10ft 6ins (3.15m)
Draught:	2ft 6ins (0.762m)
Headroom:	7ft 4ins (2.23m)

F

FORTH & CLYDE CANAL

From the Sea into Bowling Basin only

	Maximum dimension
Length:	68ft 6ins (20.88m)
Beam:	16ft 6ins
Draught:	8ft 6ins (2.6m)
Headroom:	unlimited

Bowling Basin to Grangemouth

	Maximum dimension
Length:	68ft 6ins (20.88m)
Beam:	16ft 6 ins
Draught:	6ft (1.83m)
Headroom:	9ft 10ins (3m)

FOSSDYKE NAVIGATION

	Maximum dimension
Length:	75ft (22.86m)
Beam:	15ft 3ins (4.65m)
Draught:	5ft (1.52m)
Headroom:	11ft 6ins (3.5m)

G

GLOUCESTER & SHARPNESS CANAL Sharpness Docks to Gloucester Docks

	Maximum dimension
Length:	240ft (73.15m)
Beam:	30ft (9.14m)
Draught:	10ft (3.04m)
Headroom:	105ft (32m)

GOOLE

See Aire and Calder Canal (page 3)

GRAND UNION CANAL

Brentford Basin to Berkhamsted (lock 54)

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 6ins (1.05m)
Headroom:	7ft 6ins (2.25m)

Berkhamsted (above lock 54) to Braunston

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.1m)
Draught:	3ft 6ins (1.05m)
Headroom:	7ft 10ins (2.38m)

Braunston to head of Camp Hill Top Lock

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.1m)
Draught:	3ft 6ins (1.05m)
Headroom:	6ft 6ins (1.98m)

Aylesbury Arm

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.1m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 6ins (2.35m)

Market Harborough Arm

	Maximum dimension
Length:	72ft (21.95m)
Beam:	11ft 9ins (3.6m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 6ins (2.35m)

Northampton Arm

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 6ins (2.35m)

Wendover Arm

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 6ins (2.35m)

GRAND UNION CANAL, LEICESTER LINE

Norton Junction to Foxton Junction (including Welford Arm)

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.1m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 6ins (2.35m)

Foxton Junction to the tail of Kings Lock

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft (2.13m)

H

HERTFORD UNION CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	Not Applicable
Headroom:	6ft 9ins

HUDDERSFIELD BROAD CANAL

	Maximum dimension
Length:	57ft 5ins (17.5m)
Beam:	14ft 2ins (4.32m)
Draught:	3ft 6ins (1.07m)
Headroom:	9ft 3ins (2.85m)

HUDDERSFIELD NARROW CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	6ft 10ins (2.08m)
Draught:	3ft 6ins (1.05m)
Headroom:	6ft 2ins (1.88m)

HULL MARINA

	Maximum dimension
Length:	130ft (39.6m)
Beam:	29ft 6ins (9m)
Draught:	9ft 10ins (3m)
Headroom:	Unlimited

K

KENNET & AVON CANAL

Reading to Newbury (River Kennet Section)

	Maximum dimension
Length:	70ft (21.34m)
Beam:	14ft (4.27m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft 8ins (2.4m)

Newbury to Bath (Canal section)

	Maximum dimension
Length:	70ft (21.34m)
Beam:	13ft 6ins (4.12m)
Draught:	3ft 6 ins (1.05m)
Headroom:	8ft (2.4m)

Bath to tail of Hanham Lock (River Avon Bristol section)

	Maximum dimension
Length:	75ft (22.86m)
Beam:	16ft (4.88m)
Draught:	3ft 6 ins (1.05m)
Headroom:	8ft 9ins (2.67m)

L

LANCASTER CANAL

Main Line & Glasson Branch

	Maximum dimension
Length:	70ft (21.34m)
Beam:	14ft (4.27m)
Draught:	Not Available
Headroom:	8ft (2.43m)

From the sea into Glasson Basin only

	Maximum dimension
Length:	87ft (26.52m)
Beam:	25ft (7.62m)
Draught:	14ft (4.27m)
Headroom:	unlimited

RIVER LEE

River Thames to tail of Old Ford Locks

	Maximum dimension
Length:	88ft (26.82m)
Beam:	19ft (5.79m)
Draught:	6ft (1.83)
Headroom:	7ft 7ins (2.35m)

Tail of Old Ford Locks to Ponders End

	Maximum dimension
Length:	88ft (26.82m)
Beam:	18ft (5.49m)
Draught:	4ft (1.22m)
Headroom:	7ft 7ins (2.35m)

Ponders End to Hertford

	Maximum dimension
Length:	85ft (25.9m)
Beam:	15ft 9ins (4.8m)
Draught:	4ft (1.22m)
Headroom:	6ft 9ins (2.05m)

Slough Arm

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	Not Available
Headroom:	8ft 5ins (2.58m)

London Docklands (West India Dock)

	Maximum dimension
Length:	584ft (178m)
Beam:	80ft (24.4m)
Draught:	29ft 6ins (9m)
Headroom:	Unlimited

LEEDS & LIVERPOOL CANAL

Liverpool to Wigan (junction with Leigh Branch)

	Maximum dimension
Length:	72ft (21.94m)
Beam:	14ft 3ins (4.34m)
Draught:	3ft 9 ins (1.12m)
Headroom:	8ft (2.44m)

Wigan to Leeds

	Maximum dimension
Length:	62ft (18.9m)
Beam:	14ft 3ins (4.34m)
Draught:	3ft 9 ins (1.12m)
Headroom:	8ft (2.44m)

Leigh Branch

	Maximum dimension
Length:	72ft (21.94m)
Beam:	14ft 3ins (4.34)
Draught:	3ft 9 ins (1.12m)
Headroom:	8ft (2.44m)

Rufford Branch

	Maximum dimension
Length:	62ft (18.9m)
Beam:	14ft 3ins (4.34m)
Draught:	3ft 9 ins (1.12m)
Headroom:	8ft (2.44m)

LEEK BRANCH

See Caldon Canal (page 3)

LIMEHOUSE CUT

	Maximum dimension
Length:	88ft (26.8m)
Beam:	19ft (5.7m)
Draught:	Not Available
Headroom:	7ft 7in (2.3m)

LLANGOLLEN CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	6ft 10ins (2.08m)
Draught:	2ft (0.6m)
Headroom:	7ft (2.13m)

LONDON DOCKLANDS (WEST INDIA DOCK)

See River Lee (page 6)

M

MACCLESFIELD CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft (0.9m)
Headroom:	8ft 2ins (2.49m)

MONMOUTHSHIRE & BRECON CANAL

	Maximum dimension
Length:	55ft (16.76m)
Beam:	8ft 6ins (2.59m)
Draught:	Not Available
Headroom:	5ft 11 ins (1.8m)

MONTGOMERY CANAL

Frankton Junction to Maesbury

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 6 ins (1.05m)
Headroom:	6ft (1.83m)

N

NOTTINGHAM CANAL

See Trent Navigation (page 10)

NEW JUNCTION CANAL

See Sheffield and South Yorkshire Navigation (page 8)

O

RIVER OUSE (Yorkshire)

Goole to tail of Naburn Lock

	Maximum dimension
Length:	134ft (40.8m)
Beam:	24ft 6ins (7.47m)
Draught:	Tidal
Headroom:	59ft 11ins

Naburn Locks to Scarborough Bridge

	Maximum dimension
Length:	134ft (40.85m)
Beam:	24ft 6ins (7.46m)
Draught:	8ft (2.44m)
Headroom:	21ft 6ins (6.55m)

Scarborough Bridge to Swale Nab

	Maximum dimension
Length:	57ft 6ins (17.5m)
Beam:	15ft 3ins (4.66m)
Draught:	3ft 6 ins (1.05m)
Headroom:	19ft 6ins (5.94m)

OXFORD CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 3ins (0.99m)
Headroom:	6ft 9ins (2.07m)

P

PEAK FOREST CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft (0.9m)
Headroom:	7ft 2ins (2.20m)

POCKLINGTON CANAL

	Maximum dimension
Length:	56ft 9ins (17.3m)
Beam:	14ft (4.27m)
Draught:	3ft 9ins (1.14m)
Headroom:	8ft (2.44m)

R

REGENT'S CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	4ft 6ins (1.35m)
Headroom:	9ft 2ins (2.79m)

RIBBLE LINK

Max. Boat Width (ft)	Maximum Water Draught (ft)			
	2ft	2ft 6ins	3ft	3ft 9ins
6ft	72°	72°	72°	72°
7ft	72°	72°	72°	65°
8ft	72°	72°	62°	60°
9ft	72°	62°	56°	52°
10ft	62°	56°	50°	45°
12ft	50°	42°	30°	N/A
14ft	30°	N/a	N/a	N/a

Max. Boat Width (m)	Maximum Water Draught (m)			
	0.6	0.75	0.9	1.15
1.8	21.6	21.6	21.6	21.6
2.1	21.6	21.6	21.6	19.5
2.4	21.6	21.6	18.6	18
2.7	21.6	18.6	16.8	15.6
3	18.6	16.8	15	13.5
3.6	15	12.6	9	N/a
4.2	9	N/a	N/a	N/a

RIPON CANAL

	Maximum dimension
Length:	57ft (17.37m)
Beam:	14ft 3ins (4.34m)
Draught:	3ft 6ins (1.07m)
Headroom:	8ft 6ins (2.59m)

ROCHDALE CANAL

	Maximum dimension
Length:	72ft (21.95m)
Beam:	13ft 6ins (4.11m)
Draught:	3ft 11ins (1.19m)
Headroom:	7ft 6ins (2.28m)

S

SELBY CANAL

	Maximum dimension
Length:	78ft 6ins (23.92m)
Beam:	16ft 6ins (5.03m)
Draught:	4ft (1.22m)
Headroom:	9ft 10ins (3.0m)

RIVER SEVERN

River Severn into Stourport Basins only

	Maximum dimension
Length:	75ft (22.86m)
Beam:	15ft (4.57m)
Draught:	Not Available
Headroom:	15ft 7ins (4.77m)

Gloucester to Worcester

	Maximum dimension
Length:	135ft (41.15m)
Beam:	21ft (6.4m)
Draught:	6ft (1.83m)
Headroom:	24ft 6ins (7.5m)

Worcester to Stourport

	Maximum dimension
Length:	90ft (27.43m)
Beam:	19ft (5.79m)
Draught:	6ft (1.83m)
Headroom:	20ft (6.1m)

River Severn into Diglis Basin

	Maximum dimension
Length:	72ft (21.95m)
Beam:	18ft 6ins (5.64m)
Draught:	Not available
Headroom:	Not Available

SHEFFIELD & SOUTH YORKSHIRE NAVIGATION

Bramwith to Rotherham Turning Basin plus New Junction Canal

	Maximum dimension
Length:	229ft 8ins (70m)
Beam:	20ft (6.1m)
Draught:	8ft 2ins (2.5m)
Headroom:	10ft 10ins (3.3m)

Rotherham to Sheffield

	Maximum dimension
Length:	56ft 5ins (17.2m)
Beam:	15ft 3ins (4.65m)
Draught:	4ft 6ins (1.37m)
Headroom:	10ft (3.05m)

SHROPSHIRE UNION CANAL

From Manchester Ship Canal into Ellesmere Port Basins

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

Ellesmere Port to Nantwich

	Maximum dimension
Length:	72ft (21.95m)
Beam:	9ft 8ins (2.95m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

Nantwich to Autherley Junction

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

River Dee Branch

	Maximum dimension
Length:	65ft 6ins (19.96m)
Beam:	14ft 3ins (4.34m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

Middlewich Branch

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

RIVER SOAR**River Soar from tail of Kings Locks at Leicester to the River Trent**

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 6 ins (1.05m)
Headroom:	7ft (2.13m)

STAFFORDSHIRE & WORCESTERSHIRE CANAL

	Maximum dimension
Length:	75ft (22.86m)
Beam:	15ft (4.57m)
Draught:	3ft (0.9m)
Headroom:	15ft 7ins (4.77m)

Stourport to Great Haywood

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft (0.9m)
Headroom:	6ft (1.82m)

STAINFORTH & KEADBY CANAL

	Maximum dimension
Length:	61ft 8ins (18.79m)
Beam:	17ft (5.2m)
Draught:	7ft 3ins (2.2m)
Headroom:	10ft 10ins (3.3m)

RIVER STORT

	Maximum dimension
Length:	85ft (25.9m)
Beam:	13ft (3.96m)
Draught:	4ft (1.2m)
Headroom:	6ft 9ins (2.05m)

STOURBRIDGE CANAL

	Maximum dimension
Length:	71ft 6ins (21.79m)
Beam:	7ft (2.1m)
Draught:	Not Available
Headroom:	6ft (1.8m)

STRATFORD-UPON-AVON CANAL
River Avon into Stratford Basin

	Maximum dimension
Length:	70ft (21.34m)
Beam:	15ft (4.57m)
Draught:	Not Available
Headroom:	Not Available

Stratford Basin to Lapworth

	Maximum dimension
Length:	70ft (21.34m)
Beam:	6ft 10ins (2.08m)
Draught:	Not Available
Headroom:	6ft (1.83m)

Lapworth to Kings Norton
(including Kingswood Branch)

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	Not Available
Headroom:	7ft 3ins (2.1m)

T

TEES NAVIGATION

	Maximum dimension
Length:	72ft (22m)
Beam:	19ft 6ins (6m)
Draught:	10ft 4ins (3.15m)
Headroom:	18ft (5.5m)

RIVER THAMES

(Into Brentford basin only)

	Maximum dimension
Length:	75ft (22.87m)
Beam:	16ft 5ins (5.02m)
Draught:	3ft (0.9m)
Headroom:	7ft 6 ins (2.25m)

Brentford Basin to Berkhamsted

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft (0.9m)
Headroom:	7ft 6 ins (2.25m)

(Into Limehouse Basin only)

	Maximum dimension
Length:	91ft (28m)
Beam:	24ft (7.5m)
Draught:	3ft (0.9m)
Headroom:	7ft 6 ins (2.25m)

TRENT NAVIGATION

(including Beeston Cut & Nottingham Canal)

Shardlow to tail of Meadow Lane Lock, Nottingham

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 4 ins (1.02m)
Headroom:	8ft (2.44m)

Nottingham to tail of Cromwell Lock

	Maximum dimension
Length:	145ft (44.2m)
Beam:	18ft (5.49m)
Draught:	3ft 4 ins (1.02m)
Headroom:	12ft (6.7m)

Tail of Cromwell Lock to Gainsborough

	Maximum dimension
Length:	185ft (56.4m)
Beam:	19ft (5.8m)
Draught:	3ft 4 ins (1.02m)
Headroom:	22ft (6.7m)

TRENT & MERSEY CANAL
Preston Brook to Horninglow Basin, Burton-upon-Trent

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	3ft 4 ins (1.02m)
Headroom:	5ft 9ins (1.75m)

Horninglow Basin, Burton-upon-Trent to Shardlow

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft (4.27m)
Draught:	3ft 4 ins (1.02m)
Headroom:	7ft (2.13m)

Shardlow to Derwent Mouth

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft 9ins (4.5m)
Draught:	3ft 4 ins (1.02m)
Headroom:	7ft (2.13m)

Shardlow Locks

	Maximum dimension
Length:	80ft 8ins (24.6m)
Beam:	14ft 2ins (4.32m)
Draught:	3ft 4 ins (1.02m)
Headroom:	7ft (2.13m)

Derwent Mouth Lock

	Maximum dimension
Length:	97ft 1ins (29.6m)
Beam:	15ft ½ins (4.89m)
Draught:	3ft 4 ins (1.02m)
Headroom:	7ft (2.13m)

U

UNION CANAL
(Glasgow & Edinburgh)

	Maximum dimension
Length:	70ft (21.33m)
Beam:	12ft 6ins (3.81m)
Draught:	3ft 6ins (1.06m)
Headroom:	9ft (2.74m)

RIVER URE

	Maximum dimension
Length:	57ft 6ins (17.9m)
Beam:	15ft (4.57m)
Draught:	Not Available
Headroom:	10ft (3.05m)

W

RIVER WEAVER
Weston Point Dock to Weston Marsh Lock

	Maximum dimension
Length:	213ft (65m)
Beam:	36ft (11m)
Draught:	10ft 6ins (3.2m)
Headroom:	Unlimited

Weston Marsh Lock to Anderton

	Maximum dimension
Length:	213ft (65m)
Beam:	37ft 6ins (11.5m)
Draught:	10ft 6ins (3.2m)
Headroom:	59ft (18m)

Anderton to Winsford

	Maximum dimension
Length:	196ft (60m)
Beam:	35ft (10.7m)
Draught:	9ft 6ins (2.9m)
Headroom:	29ft 6ins (9m)

Anderton Lift Branch

	Maximum dimension
Length:	72ft (21.95m)
Beam:	14ft 4ins (4.36m)
Draught:	4ft 7ins (1.4m)
Headroom:	8ft 2ins (2.48m)

RIVER WITHAM NAVIGATION

	Maximum dimension
Length:	75ft (22.86m)
Beam:	15ft 3ins (4.65m)
Draught:	3ft 6 ins (1.05m)
Headroom:	9ft 2ins (2.79m)

WORCESTER & BIRMINGHAM CANAL

(River Severn into Diglis Basin only)

	Maximum dimension
Length:	72ft (21.95m)
Beam:	18ft 6ins (5.64m)
Draught:	Not Available
Headroom:	Not Available

Diglis Basin to Birmingham

	Maximum dimension
Length:	72ft (21.95m)
Beam:	7ft (2.13m)
Draught:	Not Available
Headroom:	8ft (2.43m)